# GRENHOUSES GRENHOUSES





# STANDARD BUILDING INFORMATION

- All structural members are made of 2.5" x 2.5"
   14-gauge galvanized tubing
- Double-Walled polycarbonate panels used for siding and roofing material
- Legs and rafters are spaced 4' on center
- 2' x 3' single pane window in door
- (1) 16" wide shelf runs the length of units
- 12" x 12" fan with thermostat
- Standard greenhouse comes with no floor.
   They are built on skids that are removed once building is delivered & set.



## STEEL GREENHOUSE PRICING

8x12 **\$4,695** 

8x16 **\$5,500** 

10x12 **\$5,160** 

10x16 **\$6**,**995** 

10×20 **\$8,495** 

12×24 **\$10**,**495** 

Buildings come standard with:
One fan, one shelf the length of building
& one 2x3 window in the door



# GREENHOUSE ADD-ON PRICING

| 16" Shelving Price Per/Ft    | \$18.00    |
|------------------------------|------------|
| Misting System               | \$300.00   |
| Watering System              | \$125.00   |
| Infrared Heater              | \$350.00   |
| Additional Fan               | \$325.00   |
| 24" Shelving Price Per/Ft    | \$20.00    |
| Custom Trim Colors           | \$575.00   |
| Anchor Package               | \$250.00   |
| Composite Floor              | \$18.00    |
| (Per Sq/Ft of Building)      |            |
| Wainscoting                  | \$2.00     |
| (Per Sq/Ft of Building)      |            |
| 2x3 Black Single Pane Window | v \$150.00 |



# ADDITIONAL ADD-ON INFORMATION - 1

### WATERING SYSTEM

- 15' Watering Hose
  - Spray Nozzle
- Hose Hanging Rack
  - Adapter Valve

(For Attaching Outside Water Source)

-Y Split Adapter

(To connect water hose & misting system if needed)

### MISTING SYSTEM

Misting Hose (length of building on both sides)

- Timer

-Dirt Filtration System

-Y Split Adapter

(To connect water hose & misting system if needed)

- Adapter Valve

(For Attaching Outside Water Source)



# ADDITIONAL ADD-ON INFORMATION - 2

### **HEATING SYSTEM**

High efficiency, advanced infrared technology, 1500 Watt, 5200 BTU, 2 heat settings, auto shutoff, ceiling mounted

### **EXHAUST FAN**

Gable exhaust fan, temperature controlled with auto shut-off when temperature is reached



# PRODUCT WARRANTY INFORMATION

### 14 GAUGE TUBING

Lifetime rust-through warranty

### **DOUBLE WALLED POLY PANELS**

10-year warranty against losing greater then 10% of light transmission

### **METAL TRIM & PANELS**

Lifetime rust-through warranty

### **WORKMANSHIP WARRANTY**

5-year workmanship warranty

